



Similar as above image

VKCD-1337CIR

Article number: 212586

1/3" Dome, Fixed, Day&Night, 2.8-12mm, 800TVL, IR LED, 12VDC

Mainfeatures

For wall and ceiling flush/surface mount

Integrated 2.8-12mm varifocal

Backlight compensation (BLC)

IR Illumination by 36 integral 850nm LEDs

Supply voltage: 12VDC

Vandal and tamper-resistant

Externally adjustable focus & zoom

Automatic white balance (AWB)

Manual 3-axis camera gimbal

Anti-flare double glass

Specifications

Camera:

Sensor size	1/3"
Imager	CMOS, Sony
Sensitivity	0,01 Lux, at F1.2
Low speed shutter	no
Automatic electronic shutter (ESC)	1/50 ~ 1/100,000sec.
Wide Dynamic Range (WDR)	D-WDR
Day/Night switching	auto
IR cut filter	switchable
Signal-to-noise ratio	50dB

Video:

Video standard	PAL
Horizontal resolution	800 TVL

Lens:

VKCD-1337CIR

Continued Specifications

Lens type	varifocal
Focal length	2,8 - 12 mm
Digital zoom	no
MOD (Minimum object distance)	0,5 m
Aperture range (F)	F1.2
Horizontal angle of view	81,2 - 22,6 °
Features:	
e-PTZ support	no
Digital Noise Reduction (DNR)	20
Interfaces / Inputs / Outputs:	
Video outputs	composite (CVBS)
External connections	video (BNC), 12VDC input (DC plug)
Alarm inputs	no
Alarm outputs	no
Serial interfaces	no
General:	
Dimensions (HxWxD)	100x120mm
Illumination	infrared, 36x LED 850nm
Illumination range	approx. 15m (at a good light reflexion and 40% Videosignal)
Colour (housing)	dark grey
Colour (bubble)	clear
Housing material	aluminium
Weight	620g
Power consumption	3,5W
Blower	no
Mounting	ceiling mount, wall mount
Protection rating	IP66
Supply voltage	(+/-10%), 12VDC
Supply voltage	12VDC
Temperature range (operation)	-10°C ~ +50°C
Vandalism resistant	yes
Scope of delivery:	
Parts supplied	manual, mounting accessories, special key for lens adjustment
Notes:	

Special features

Optional mounting accessories needed

VKCD-1337CIR

Available Accessories

Image	Prod. No / Label	Description
	217344 / MAM-5ME1001MTA	Multisignal Converter, HD-TVI , AHD, 960H to IP, H.264, 1920x1080, 12VDC
	218653 / PS12DC-11	Plug-in Power Supply Unit, 100-240VAC/12VDC (1,0A), regulated, with DC Plug

Your Contact Person



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Deutschland
Tel.: +49 6074-888-333
E-Mail: info@eneo-security.com
Web: www.eneo-security.com